UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/609,233	06/27/2003	Imtiaz Chaudry	048765/277090	8210
826 ALSTON & BI	7590 03/09/201 RD LLP	EXAMINER		
BANK OF AM	ERICA PLAZA	HAGHIGHATIAN, MINA		
	RYON STREET, SUIT NC 28280-4000	ART UNIT	PAPER NUMBER	
			1616	
			MAIL DATE	DELIVERY MODE
			03/09/2010	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application	olication No. Applicant(s)					
		10/609,23	33	CHAUDRY, IMTIAZ				
		Examine		Art Unit				
		Mina Hag	nighatian	1616				
Period fo	The MAILING DATE of this communication r Reply	appears on the	e cover sheet with the d	correspondence ad	idress			
WHIC - Exter after - If NO - Failu Any r	CORTENED STATUTORY PERIOD FOR RECEIVED IN THE MAILING IS LONGER, FROM THE MAILING IS IN THE MAY BE AVAILABLE IN THE MAY BE AVAILABLE IN THE MAILING IS IN THE MAY BE AVAILABLE IN THE MAY BE AVAILABLE IN THE MAILING IN	G DATE OF THE FR 1.136(a). In no even. eriod will apply and westatute, cause the app	HIS COMMUNICATION ent, however, may a reply be tir Il expire SIX (6) MONTHS from lication to become ABANDONE	N. nely filed the mailing date of this of (35 U.S.C. § 133).	•			
Status								
1) 又	Responsive to communication(s) filed on <u>6</u>	01/04/10						
·		This action is r	on-final					
′=	<b>/—</b>			osecution as to the	e merits is			
٠,١	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
	·	ioi Ex parto Qu	ay,0, 1000 0. <b>D</b> . 11, 10	00 0.0. 210.				
Dispositi	on of Claims							
4)🛛	Claim(s) 1,2,12-16,21,25-30,32,34,38-40,5	51-54,57-64 an	<u>d 66-71</u> is/are pending	ı in the applicatior	١.			
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	Claim(s) is/are allowed.							
6)🖂	6)⊠ Claim(s) <u>1, 2, 12-16, 21, 25-30, 32, 34, 38-40, 51-54, 57-64 and 66-71</u> is/are rejected.							
· ·	Claim(s) is/are objected to.							
·	8) Claim(s) are subject to restriction and/or election requirement.							
	on Papers							
	•	minor						
-	The specification is objected to by the Exar		O objected to by the	Evaminar				
10)[	The drawing(s) filed on is/are: a)							
	Applicant may not request that any objection to	= -						
440	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)	The oath or declaration is objected to by the	e Examiner. No	ote the attached Office	Action or form P	IO-152.			
Priority u	ınder 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>								
2)  Notic 3)  Inforr	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948 nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date <u>01/20/10</u> .	3)	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate				

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 01/04/10 has been entered.

Receipt is acknowledged of the Amendments and Remarks filed on 01/04/10. Claims 1, 27, 38 and 51 have been amended, no claims have been cancelled or newly added. Accordingly, claims 1, 2, 12-16, 21, 25-30, 32, 34, 38-40, 51-54, 57-64 and 66-71 remain pending.

Rejections and/or objections not reiterated from the previous Office Action are hereby withdrawn. The following rejections and/or objections are either reiterated or newly applied. They constitute the complete set of rejections and/or objections presently being applied to the instant application.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in Graham v. John Deere Co., 383 U.S. 1, 148

USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1, 2, 12-16, 21, 25-30, 32, 34, 38-40, 51-54, 57-64, 66-69 and 71 are rejected under 35 U.S.C. 103(a) as being unpatentable over Williams et al (5,554,610), as evidenced by Newman (Aerosol deposition considerations in inhalation therapy, CHEST, 1985), in view of Schwarz (US 20010031738) and further in view of Mead et al (6,608,054).

Williams teaches a **method for the treatment** of **pulmonary hypertension** comprising administering to a mammal an <u>effective amount of a vasodilator</u>. The formulations can treat <u>primary and secondary pulmonary hypertensions</u> (col. 2, lines 1-6). The administration is preferably **through inhalation**. **Unit doses** comprising <u>0.01 to 50 mg</u>. The usual daily dose is in the range of <u>0.0001 to 1 mg/kg/day</u>, thus the daily dose for a 70 kg adult would be 0.01 to 50mg. The compositions are prepared by <u>admixture</u> and can be in a solution or **suspension** form (col. 2, lines 16-48, 60-67). One preferred composition comprises in an **aqueous suspension** form, additives such as suspending agents, preservatives, carriers and **buffers**. The said agents include

Page 4

Art Unit: 1616

propylene glycol, ethyl alcohol, etc. The compositions for administration to the respiratory tract are presented as <u>snuff</u> or an aerosol or solution for a nebulizer or as a microfine powder for insufflation, alone or in combination with an inert carrier. In other preparations, such as for parenteral administration, the <u>fluid unit dose</u> forms are prepared containing the compound and a sterile vehicle, undergo filter sterilization and filled into a <u>vial</u>. The compositions are typically accompanied by written or printed directions for use (see col. 3, lines 1-66).

Williams also discloses that suitable vasodilators include **calcium channel blockers** such as **nifedipine** (col. 4, lines 20-21). A particularly favored
pharmaceutically acceptable composition is an inhalation composition, suitably in unit
dosage form (col. 4, lines 37-40). Williams lacks disclosure on pH levels, isotonicity of
the formulations and addition of complexing agents.

Newman teaches that <u>inhalation therapy</u> has several well-established advantages over the oral and intravenous routes; 1) **A small dose of drug** can be used, a few hundred micrograms of inhaled beta-agonist may be as effective as a 10-mg oral dose. 2) There is a rapid onset of action. 3) There is a **low incidence of systemic** side effects (see page 152s, 1<sup>st</sup> col.).

Schwarz teaches a method of treating **pulmonary hypertension by inhalation**. It is disclosed that the aerosol **suspensions** can be aerosolized by a <u>metered dose</u> inhaler ([0049]) or with a pressure-driven **aerosol nebulizer** or an **ultrasonic** 

Page 5

nebulizer. The suitable carrier is typically water and most preferably sterile water, and preferably made <u>isotonic</u>. Optional preservatives, pH-adjusting agents, buffering agents and surfactants are included. Such agents include sodium citrate, sodium gluconate, sodium lactate, etc (see [0041] and [0051]). The doses of the active compounds may be provided as one or several prepackaged units (see [0059]). It is disclosed that suitable formulations comprise citrate or bis/tri buffer (pH 6) (see [0045]). Suitable emulsifying agents include lecithin ([0044]).

Schwarz discloses that "Regardless of the route of administration of the active compounds or formulations of the invention, the therapeutically effective dosage of any one active compound, the use of which is in the scope of present invention, will vary somewhat from compound to compound, and patient to patient, and will depend upon factors such as the age, weight and condition of the patient, and the route of delivery. Such dosages can be determined in accordance with routine pharmacological procedures known to those skilled in the art. For example, as a general proposition, a dosage from about 0.1 to about 50 mg/kg will have therapeutic efficacy, with all weights being calculated based upon the weight of the active compound" (see [0056]).

Mead et al teach pharmaceutical compositions based on anticholinergics and endothelin antagonists, processes for preparing them and their use in the treatment of respiratory tract disease (see abstract). The said disorders include **pulmonary**hypertension (see col. 2, lines 56-64). Mead discloses that the formulation preferably have a **pH of from 2 to 7**, which is obtained by addition of acids or a mixture of acids.

Preferably acids which have other properties in addition to their acidifying qualities, e.g. complexing agent, antioxidant, etc. The addition of edetic acid (EDTA) or one of the known salts thereof, sodium edentate, as stabilizer or complexing agents is unnecessary. Other embodiments may contain this compound or these compounds. In a preferred embodiment the content based on sodium edetate is less than 100mg/100ml. Generally, inhalable solutions in which the content of **sodium edetate** is from 0 to 10mg/ml are preferred (col. 9, lines 1-35). Preferred formulations contain, in addition to the solvent water and the combination of active substances, only benzalkonium chloride and <u>sodium edetate</u> (col. 10, lines 8-11). The formulations also comprise excipients such as preservatives, buffering agents and surfactants. Suitable surfactants include soya lecithin (col. 9, lines 50-61). Examples B1 and B2 in column 15 disclose formulations comprising **0.3% lecithin**.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have implemented teachings of Schwarz on inhalation of formulation for treating pulmonary hypertension, with the general teachings and formulations of Williams et al and the formulations of Mead et al with a reasonable expectations of successfully preparing efficient and easy to use formulations that treat pulmonary hypertension in patients. In other words Williams et al are teaching the inhalation of vasodilators for treating pulmonary hypertension. Williams et al disclose the use of buffers for their formulations, however, they are silent with regards to specific pH levels and isotonicity of the formulations. It is well known in the art that mucosal

Application/Control Number: 10/609,233

Art Unit: 1616

membranes tolerate certain isotonicity and pH levels. It is also well known in the art that pH levels are adjustable by use of acids, bases or buffers. Schwarz have been provided as supportive art showing that it is known in the art that an isotonic formulation having pH levels of 3-8 are suitable for inhalation. Mead et al is also supportive art showing that adding complexing agents to formulations are known. Thus it is clearly shown that all limitations of the instant claims are met by Williams in view of Schwarz and Mead et al or knowledge generally available to one of ordinary skill in the art. In summary, all the claimed elements were known in the prior art and one skilled in the art could have combined the elements as claimed by known methods with no change in their respective functions, and the combination would have yielded predictable results to one of ordinary skill in the art at the time of the invention.

Page 7

With regard to the specific concentration range of the claims, it is considered that "[W]here the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation." In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955); see also Peterson, 315 F.3d at 1330, 65 USPQ2d at 1382 ("The normal desire of scientists or artisans to improve upon what is already generally known provides the motivation to determine where in a disclosed set of percentage ranges is the optimum combination of percentages."); In re Hoeschele, 406 F.2d 1403, 160 USPQ 809 (CCPA 1969); Merck & Co. Inc. v. Biocraft Laboratories Inc., 874 F.2d 804, 10 USPQ2d 1843 (Fed. Cir.), cert. denied, 493 U.S. 975 (1989); In re Kulling, 897 F.2d 1147, 14 USPQ2d 1056 (Fed.Cir.

Art Unit: 1616

1990); and In re Geisler, 116 F.3d 1465, 43 USPQ2d 1362 (Fed. Cir. 1997). See MPEP 2144.05.

This rejection is also based on the well established proposition of patent law that **no invention resides in combining old ingredients** of known properties where the results obtained thereby are no more than the additive effect of the ingredients, *In re Sussman*, 1943 C.D. 518.

Claim 70 is rejected under 35 U.S.C. 103(a) as being unpatentable over Williams et al (5,554,610) as evidenced by Newman, in view of Schwarz (US 20010031738), Mead et al (6,608,054) and in further view of Illum (5,804,212).

Williams et al, Schwarz and Mead et al are discussed above. The combination of the references lack disclosure on addition of alginates to the formulations. This deficiency is cured by Illum.

Illum teaches spray formulations comprising active agents and excipients (enhancing agents). Suitable excipients include lecithin, EDTA and alginates. Active agents include nifedipine.

It would have been obvious to one of ordinary skill in the art at the time the invention was made given the combined teachings of references to have looked in the art for other and specific enhancing agents such as alginates and lecithin as taught by

Art Unit: 1616

Illum with reasonable expectation of successfully preparing a stable and effective formulations for treating pulmonary hypertension. In other words, the claims would have been obvious because the **substitution** of one known element for another would have **yielded predictable results** to one of ordinary skill in the art at the time of the invention.

### **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory

Art Unit: 1616

double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 2, 12-16, 21, 25-30, 32, 38-40, 51-54, 57-71 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-2, 5-7, 10-14, 16, 21 and 25-26 of copending Application No. 11/316,458 (US 20060104913). Although the conflicting claims are not identical, they are not patentably distinct from each other because the instant claims are anticipated by the reference claims. The instant claim 1 and the reference claim 1 both recite an inhalable formulation for the treatment of pulmonary hypertension comprising from 0.1 to 15 mg/ml of a reducing agent such as calcium channel blocker wherein the formulation is free of a compound selected from the group consisting essentially of I) an anti-EMAP II antibody, ii) antisense EMAP II oligonucleotide and iii) EMAP II antagonist and wherein the formulations have a pH of from 3 to 8. The difference is that instant claim 1 contains a further negative proviso wherein the formulation is not a liposome. The remaining claims are also anticipated by the reference claims.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

# Response to Arguments

Applicant's arguments filed 01/04/10 have been fully considered but they are not persuasive.

Applicant argues that the references, individually or in combination do not teach or suggest or render predictable all currently claimed elements. Applicant states that "In particular, each of the cited references, alone or in any combination, fail to teach, suggest, or render predictable any of the following: (1) a formulation adapted for localized delivery to the lungs having a reduced concentration of a calcium channel blocker comprising about 0.001 to about 0.50 mg/ml; (2) a formulation adapted for localized delivery to the lungs such that absorption of the hypertension reducing agent into the systemic blood circulation is less than when the hypertension reducing agent is administered intravenously or orally to the gastrointestinal tract" (Remarks, page 10).

This is not persuasive because Williams et al is clearly teaching <u>delivery</u> of active agents such as calcium channel blockers <u>to the lungs</u> by inhalation for the treatment of pulmonary hypertension. Inhalation to the lung IS localized delivery. Thus active agents <u>are delivered by inhalation to the respiratory system, i.e. the lung</u>. Williams et al discloses a daily dosage of from 0.001mg to 1 mg/kg/day. The frequency is disclosed as once or up to 3 times a day. Assuming a normal person weighing about 70kg, the daily dose is from 0.0070 mg to 0.021 mg/day. One of ordinary skill in the art also knows that inhalation delivery requires a much lower dose than oral as shown by Newman. Thus it is assumed that since Williams et al teach both oral and inhalation methods of delivery, that the lower doses are for inhalation. In other words, Williams is teaching the same

Art Unit: 1616

inhalable formulation as claimed especially in view of Newman which discloses that inhalable formulations require much less active agents and cause much less side effects. This means that less active agents have been absorbed into the blood system.

As evidenced by the prior art document filed by Applicant in the IDS of 01/20/10, Pulmonary drug delivery by Kevin Taylor, "Drugs are generally delivered to the respiratory tract for the treatment or prophylaxis of airways diseases, such as bronchial asthma and cystic fibrosis. The administration of a drug at its site of action can result in a rapid onset of activity, which may be highly desirable, for instance when delivering bronchodilating drugs for the treatment of asthma. Additionally, smaller doses can be administered locally compared to delivery by the oral or parenteral routes, thereby reducing the potential incidence of adverse systemic effects and reducing drug costs. The pulmonary route is also useful where a drug is poorly absorbed orally, e.g. sodium cromoglycate, or where it is rapidly metabolized orally, e.g. isoprenaline. The avoidance of first-pass metabolism in the liver may also be advantageous, although the lung itself has some metabolic capability. The lung may be used as a route for delivering drugs having systemic activity, because of its large surface area, the abundance of capillaries and the thinness of the air blood barrier. This has been exploited in the treatment of migraine with ergotamine, and studies have demonstrated the potential for delivering proteins and peptides such as insulin and growth hormone via the airways" (see page 473).

Also, Williams et al teach the same medicament being delivered to the same site by the same method at a similar dose. Thus, it is considered that absorption of the

Art Unit: 1616

hypertension reducing agent into the systemic blood circulation is less than when the hypertension reducing agent is administered intravenously or orally to the gastrointestinal tract. Applicant has merely argued that the teachings of Williams et al are different or that they do not teach a localized delivery or that they do not teach the same concentration range, without any evidence or showing as to how the Williams et al's reference is different.

Applicant also recites that "Williams is generally directed to methods of treating disorders associated with pulmonary hypertension by administering a given dose (mg) of a vasodilator, ganglion blocker, sympathetic nerve blocker or calcium channel blocker. Williams teaches that a unit dose will normally contain 0.01 to 50 mg for example 0.01 to 10 mg, of the Compound, or a pharmaceutically acceptable salt thereof. Unit doses will normally be administered once or more than once a day, for example 2, 3, or 4 times a day, more usually 1 to 3 times a day such that the total daily dose is normally in the range of 0.0001 to 1 mg/kg." Applicant then argues that "Williams range provides at least 10,000 different levels for one skilled in the art to select". Due to the breadth of such a teaching, Williams fails to provide any particular teaching that would provide the skilled artisan a reasonable basis for specifically selecting and preparing a formulation having the currently claimed concentration range from the nearly infinite possibilities referenced by Williams. For instance, when taken in 0.0001 increments (since this is the lower limit of Williams range), there are 10,000 different concentration levels for one skilled in the art to select. Williams provides no

Art Unit: 1616

teaching that would incite one skilled in the art to select any particular concentration range" (see Remarks, pages 10-11).

This above arguments are not persuasive. 1) The fact that the lowest dose is 4 orders of magnitude lower than the higher dose is not a teaching away or reason for unobviousness. As mentioned above, Williams is disclosing the dosage range for all the disclosed methods of delivery including oral and inhalation. Thus one of ordinary skill in the art, especially in light of Newman's disclosure, would expect the range to be broad. Furthermore, Applicant's own specification disclose that acceptable concentration range is from 0.001 to 20 mg/ml, which is also 4 orders of magnitude, all for inhalation delivery (see specification, pages 14-16). 2) The preferred dose is disclosed at 0.1 to 10 mg.

Furthermore, Applicants are not claiming the amount of medicament delivered to patients for each treatment, the about 0.001 to about 0.50 mg/ml claimed is a concentration range and not the dose.

With regards to Applicant's argument regarding Williams et al not disclosing concentration range or that the daily dose provides for 10,000 different concentration levels, the argument is not persuasive because Williams et al disclose their formulations for delivery by an inhalation device. One of ordinary skill in the art is more than aware of the restrictions of volume and delivery amount of the device and they would know how to adjust to meet the said restrictions. In other words, one of ordinary skill in the art would be able to determine the proper concentration for the device used with no undue experimentation.

Art Unit: 1616

It is well-established that consideration of a reference is not limited to the preferred embodiments or working examples, but extends to the entire disclosure for what it fairly teaches, when viewed in light of the submitted knowledge in the art, to a person of ordinary skill in the art. In re Boe, 355, F.2d 961, 148 USPQ 510, 510 (CCPA 1966).

Applicant repeatedly argues that "Williams is silent regarding methods of treating pulmonary hypertension by locally delivering a calcium channel blockers to the lungs". Again, this is not persuasive because in William et al's reference, the title recites "Inhalational treatment of pulmonary hypertension and related conditions", the abstract and the specification repeatedly and in detail describe treating pulmonary hypertension by inhalation of calcium channel blockers to the lungs. As stated above, this is "localized delivery". Thus contrary to Applicants assertions, Williams et al is NOT silent regarding the said methods or compositions and expressly teaches the claimed method and compositions.

Applicant argues that "Newman is silent about calcium channel blockers, the claimed concentration range, and a formulation comprising a calcium channel blockers adapted for localized delivery via oral inhalation....". This is not persuasive because Newman was relied upon, as an evidence, not a prior art, to teach that one of ordinary skill in the art is aware that inhalation doses are much smaller than those for oral delivery. Newman was not relied upon for active agents or any other limitation.

Applicant argues that Schwarz is directed to formulations for inhibiting endothelial-monocyte activating polypeptide II (EMAP II) by administering a compound

Art Unit: 1616

that inhibits EMAP II activity". This is not persuasive because the primary reference teaching administering calcium channel blockers by inhalation for treating pulmonary hypertension is Williams et al. Schwarz is relied upon for its teaching of isotonic formulations for inhalation. Regardless of the active agents in the formulation one is taught that for inhalation isotonic formulations are suitable.

Applicant's arguments regarding the rejection of claims over Kiechel et al in view of Williams et al and Mead et al are persuasive and have been withdrawn.

Claims 1, 2, 12-16, 21, 25-30, 32, 34, 38-40, 51-54, 57-64 and 66-71 remain rejected.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mina Haghighatian whose telephone number is (571)272-0615. The examiner can normally be reached on core office hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johann Richter can be reached on 571-272-0646. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mina Haghighatian/

Mina Haghighatian Primary Examiner Art Unit 1616